

# HYDRAULIC BREAKERS



WHERE EXPERIENCE COUNTS

# F70XP



Specifications		F70XP	
Operating weight, <sup>1)</sup> XP	kg		4315
Height with rod,	mm		3235
Operating pressure	min	MPa	16
	max		18
Oil flow	min	l/min	250
	max		340
Impact rate	min	bpm	250
	max		500
Impact energy	max	joules	13667
Rod diameter Ø	mm		180
Effective length rod	mm		860
Weight rod	kg		270
Hose inner dia Ø Press. Return	mm		32
Base machine weight	ton		45 - 70

<sup>1)</sup> Operating weight with top bracket. XP Silent Version = Sound and vibration damping

Specifications subject to change without notice

# EXCAVATOR SIZE 45-70<sup>T</sup>

# F100XP



Specifications		F100XP	
Operating weight, <sup>1)</sup> XP	kg	6500	
Height with rod,	mm	3800	
Operating pressure	min	MPa	16
	max		18
Oil flow	min	l/min	280
	max		390
Impact rate	min	bpm	200
	max		350
Impact energy	max	joules	15690
Rod diameter Ø	mm	210	
Effective length rod	mm	990	
Weight rod	kg	480	
Hose inner dia Ø Press. Return	mm	32	
Base machine weight	ton	65 - 100	
<sup>1)</sup> Operating weight with top bracket. XP Silent Version = Sound and vibration damping			
Specifications subject to change without notice			

EXCAVATOR SIZE 65-100<sup>T</sup>